

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S1 | 3 | data near4 address with instance same memory with reference same execution | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 16:32 |
| S2 | 29 | code with behavior with data with address | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 16:37 |
| S3 | 11 | code with behavior with address same profil\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 16:37 |
| S4 | 102 | instance with runtime with address | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 16:45 |
| S5 | 1 | instance with runtime with address same (profil\$4 instrumentation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 16:46 |
| S6 | 52 | instance with runtime with address and (profil\$4 instrumentation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 16:46 |
| S8 | 1 | address near5 profil\$4 same execution with hindrance | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 09:15 |
| S9 | 16 | address near5 profil\$4 same runtime | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 09:16 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S10 | 239 | collect\$4 with (data adj address) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 09:17 |
| S11 | 3 | collect\$4 with (data adj address) same optimiz\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 09:18 |
| S12 | 12 | collect\$4 with (data adj address) same profil\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 09:20 |
| S13 | 10 | collect\$4 with (data adj address) same instance | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 09:21 |
| S15 | 35 | collect\$4 with (effective adj address) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 09:22 |
| S16 | 214 | (determin\$4 identif\$4) with instance with runtime | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 09:35 |
| S17 | 124 | (memory adj reference) same profil\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 09:35 |
| S18 | 3 | (memory adj reference) same profil\$4 same address same instance | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 09:36 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S19 | 33 | (memory adj reference) same profil\$4 same address | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 10:22 |
| S20 | 2 | (logical near3 memory adj reference) same profil\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 10:23 |
| S21 | 28 | (logical near3 memory adj reference) same address | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 10:24 |
| S22 | 5 | source near3 level near3 data adj object | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/25 10:25 |